
# **TUNGSRAM**

Innovation is our heritage EST.1896







# Tungsram LED A55 LED ECO A55 10W(64) 830 B22 TU 93093870

# **Product information**

A new shape designed to replace the A55 Halogen bulbs EEH 42W and 53W.

#### **Application areas**







#### Tungsram LED A55 LED ECO A55 10W(64) 830 B22 TU 93093870

## Product data

Product Code	93093870
Bulb Shape	A55
Bulb Finish	white
Bulb maximum overall diameter [mm]	57
Nominal Length [mm]	101
Net weight per piece [g]	54
RoHS compliant	Yes
Brand	Tungsram
Cap/Base	B22

## Performance data

Nominal/ Rated Beam Angle [°]	180
Rated Lumens [lm]	870
Weighted energy consumption [kWh/1000h]	10
Rated efficacy [lm/W]	87
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	10000
Nominal correlated colour temperature (CCT) [K]] 3000	
Nominal lumens [lm]	870
Colour Rendering Index (CRI) [Ra]	80

E(0\*) 662 E(C0) 81.6\* 1

E(0°) 166 E(C0) 81.6° 0

E(0\*) 74 E(C0) 81.6\* 0

E(0°) E(C0) 81.6°




#### Electrical data

Nominal lamp power factor	>0.5
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0.5s
Warm up time up to 60% of full light output	Instant full light
Number of switching cycles	50000
Dimming Capability	No
Nominal lamp voltage range [V]	220-240V 50/60Hz
Nominal power [W]	10

## Logistic data

DUN Code	10064894502443
EAN Code	0064894502446
Pack Quantity	6
Product status	Available

#### Photometric Data





#### Tungsram LED A55 LED ECO A55 10W(64) 830 B22 TU 93093870

#### Downloads & Links

Go to the catalog site (HTTP)
Photometry (IES)
Product datasheet (PDF)
Datasheet (PDF)
Images (HTTP)

