
### **Trungsram**

Innovation is our heritage EST.1896







# Dimmable Bright Stik™ LED DimSTIK 14(100)830 B22 TU 93104208

### **Product information**

TUNGSRAM keeps innovating and introduces the Dimmable Bright Stik to complete the most successful range\* in the LED lamps to replace CFL and eCFL.

Bright Stik™ Led Lamp range won the IDEA
 Bronze design award in 2017 and the IF Design award in 2018

#### **Application areas**









Other



## Dimmable Bright Stik™ LED DimSTIK 14(100)830 B22 TU 93104208

### Product data

Product Code	93104208
Bulb Shape	T45
Bulb Finish	White
Bulb maximum overall diameter [mm]	45
Nominal Length [mm]	136
Net weight per piece [g]	74
Dimmability	Yes
RoHS compliant	Yes
Brand	Tungsram
Cap/Base	B22

### Performance data

Nominal/ Rated Beam Angle [°]	240
Rated Lumens [lm]	1521
Weighted energy consumption [kWh/1000h]	14
Rated efficacy [lm/W]	108.64
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]]	3000
Nominal lumens [lm]	1521
Colour Rendering Index (CRI) [Ra]	80

## Dimmable Bright Stik™ LED DimSTIK 14(100)830 B22 TU 93104208


### Electrical data

Nominal lamp power factor	>0.7
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0.5 s
Warm up time up to 60% of full light output	Instant on
Number of switching cycles	50k

### Logistic data

Shipment	Standard
DUN Code	15994100019937
EAN Code	5994100019930
Pack Quantity	15
Product status	Available

### Photometric Data





### Dimmable Bright Stik™ LED DimSTIK 14(100)830 B22 TU 93104208

#### Downloads & Links

Go to the catalog site (HTTP)
Photometry (IES)
Product datasheet (PDF)
Datasheet (PDF)
Images (HTTP)

