
JIUNGSRAM[™]

Innovation is our heritage EST.1896





Dimmable Bright Stik™ LED DimSTIK 9(60) 830 E27 TU 93104352

Product information

TUNGSRAM keeps innovating and introduces the Dimmable Bright Stik to complete the most successful range* in the LED lamps to replace CFL and eCFL.

 Bright Stik[™] Led Lamp range won the IDEA Bronze design award in 2017 and the IF Design award in 2018

Application areas







🗑 Other

Product data

Product Code	93104352
Bulb Shape	T38
Bulb Finish	White
Bulb maximum overall diameter [mm]	38
Nominal Length [mm]	116
Net weight per piece [g]	46
Dimmability	Yes
RoHS compliant	Yes
Brand	Tungsram
Cap/Base	E27

Performance data

Nominal/ Rated Beam Angle [°]	240
Rated Lumens [lm]	810
Weighted energy consumption [kWh/1000h]	9
Rated efficacy [lm/W]	90
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]]	3000
Nominal lumens [lm]	810
Colour Rendering Index (CRI) [Ra]	80

Electrical data

Nominal lamp power factor	>0.7
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0.5 s
Warm up time up to 60% of full light output	Instant on
Number of switching cycles	50k
Nominal lamp voltage range [V]	220-240V 50/60Hz
Nominal power [W]	9

Logistic data

Shipment	Standard
DUN Code	15994100023576
EAN Code	5994100023579
Pack Quantity	15
Product status	Available

120 135° 135° 165 180 165 100 100 80 120° 120° 60 80 40 105° 105 60 90° 90° 75° 75° 40 60° 60° 45° 45° 30° 15 0° 15 30 180 135 135° 180° η = 94% 180-cd/klm _____C0 - C180 cd/klm _____C0 - C180 η = 94% C90 - C270 C90 - C270

Photometric Data

Downloads & Links

Go to the catalog site (HTTP) Photometry (IES) Product datasheet (PDF) Datasheet (PDF) Images (HTTP)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.